

# Rapid

## Trailer

Ride-along platform and  
transport equipment



Mowing technology

Forage harvesting

Mulching technology

Tillage

Cleaning

Winter service

Transport

Special applications



## Overview of types and compatibility

| WALK-BEHIND TRACTOR MODEL     |                 |  | REX | MONDO M091 | MONDO M141 | KIPOS M141 | URI E041 | SWISS | MONTA M141 | MONTA S141 | MONTA M161 | MONTA S161 | MONTA M231 | MONTA S231 | VAREA M141 | VAREA S141 | VAREA M161 | VAREA S161 | VAREA M231 | VAREA S231 | ORBITO |   |
|-------------------------------|-----------------|--|-----|------------|------------|------------|----------|-------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------|---|
| <b>Attachment name</b>        | <b>Art. no.</b> |  |     |            |            |            |          |       |            |            |            |            |            |            |            |            |            |            |            |            |        |   |
| Trailer, Deves payload 400 kg | 7162            |  | -   | •          | •          | -          | •        | -     | •          | •          | •          | •          | •          | •          | •          | •          | •          | •          | •          | •          | •      | - |
| Trailer, Deves payload 500 kg | 4903            |  | -   | -          | -          | -          | -        | -     | •          | •          | •          | •          | •          | •          | •          | •          | •          | •          | •          | •          | •      | - |
| <b>Optional extras</b>        |                 |  |     |            |            |            |          |       |            |            |            |            |            |            |            |            |            |            |            |            |        |   |
| Hitching device               | 261520          |  | -   | •          | •          | -          | •        | -     | -          | -          | -          | -          | -          | -          | -          | -          | -          | -          | -          | -          | -      | - |
| Hitching device               | 269860          |  | -   | -          | -          | -          | -        | -     | •          | •          | •          | •          | •          | •          | •          | •          | •          | •          | -          | -          | -      | - |
| Hitching device               | 269865          |  | -   | -          | -          | -          | -        | -     | -          | -          | -          | -          | -          | -          | -          | -          | -          | -          | -          | •          | •      | - |

### Main areas of application



Applications with trailers are usually secondary applications. Here, the tool-free changing system and the use of the same walk-behind tractor are proven in the areas of application:

- Horticulture and landscape gardening
- Vegetable gardening
- Fruit-growing
- Agriculture
- Green/paved area maintenance

### Driving and transporting

The trailer is equipped with a manually tilting loading platform for transporting goods and materials.

The trailer can be easily loaded by individually folding side shutters, and the tilting mechanism of the loading platform allows for easy unloading. An adjustable seat is fitted for the operator to ride in.

The trailer brake can be used by the operator as an additional service brake or fixed as an immobilisation brake using the foot pedal.

### Simple and functional design

The single-axle trailer is connected to the single-axle walk-behind tractor via the drawbar and the tow hitch.

The tilting loading platform is mounted on the chassis and the adjustable seat for the operator is mounted on the drawbar.

Local legal regulations must be observed for operation in road traffic.

